Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	0	"6115611".pn. and up near1 data$2 same down	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/11 10:32
L3	0	"6115611".pn. and up near1 data$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/11 10:16
L4	2	"6115611".pn. and up near2 data$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/11 10:23
L5	0	"6115611".pn. and up near2 data$2 same down	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/11 10:16
L6	1	"6115611".pn. and up near2 data$2 same receiv$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/11 10:44
L7	31	("5235633" | "5652707").PN. OR ("6115611").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/11 10:31
L8	0	7 and up near2 data$2 same down	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/11 10:33
L9	1	7 and up near2 data$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/11 10:44
L10	2	7 and up same down	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/11 10:36

L11	29	("4481382" | "4674111" | "4852146" | "4974170" | "5068838" | "5128981" | "5173691" | "5214622" | "5402117" | "5579535" | "5802469" | "5870741" | "5898680" | "5915207" | "5943611" | "5963861" | "5974311" | "6021333" | "6029068" | "6115580" | "6115611" | "6122520" | "6125282" | "6125326"). PN. OR ("6400941").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/11 10:35
L12	7	11 and up same down	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/11 10:36
L13	1	"6115611".pn. and request$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/11 11:23
L14	0	"6115611".pn. and request$ same up near2 data$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/11 10:45
L15	0	"6115611".pn. and request$ same up	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/11 10:45
L16	0	"6115611".pn. and string$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/11 11:23
L17	1	"6115611".pn. and character$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/11 11:36
L18	1	"6115611".pn. and ip$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/11 11:24
L19	0	"6115611".pn. and interval$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/11 11:36

L20	1	"6115611".pn. and predetermin$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/11 11:38
L21	1	"6115611".pn. and automat$ same transmi$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/11 11:37
L22	0	"6115611".pn. and predetermin$ same tim$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/11 11:44
L23	1	"6115611".pn. and gps$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/11 12:03
L24	1	"6115611".pn. and lat$ same long$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/11 12:03